AI VISIBILITY & SEARCH ARCHITECTURE • FIELD GUIDE

GEO & AI Search Visibility

The practical playbook for Generative Engine Optimization—structuring Answer-First prose capsules, entity graphs, JSON-LD schema, SSR parity, bot crawl rules, and Share-of-Voice attribution so ChatGPT Search, Perplexity, Google AI Overviews, Claude, and Gemini cite your brand first.

RAG Citation Pipelines | Answer-First Prose | Entity & Off-Site Graphs | JSON-LD & SSR Parity | Bot Crawl Governance | AI Share of Voice KPIs



Earn Inline Citations

Lead every section with 40–60 word Answer-First capsules packed with verifiable metrics, primary citations, and expert quotes.

Corroborate Your Entity

Unify `Organization` JSON-LD with Wikidata, GitHub, Reddit, and G2 directories so engines resolve your brand with zero ambiguity.

Pass Every Bot Pass

Serve clean Server-Side Rendered HTML and separate training bots from live search bots across `robots.txt` and edge firewalls.

From Blue Links to Synthesized Citations: The GEO Shift


Traditional SEO competes for ten blue links on a results page. **Generative Engine Optimization (GEO)** competes to become one of the three to six trusted passages synthesized directly inside an AI answer—where ChatGPT Search, Perplexity, Google AI Overviews, Claude, and Gemini decide which brands buyers hear about before anyone clicks a link.

Quick Navigation

1. Mental Model: RAG Citation Loop p. 2
2. Engine Retrieval & Crawler Matrix p. 3
3. Annotated GEO & SOV Audit HUD p. 4
4. Answer-First Content & Princeton Lift p. 5
5. 5-Part Capsule Formula & Chunking p. 6
6. Entity Graphs & Off-Site Proof p. 7
7. JSON-LD Schema & SSR Readability p. 8
8. 5 Copy-Paste GEO Recipes p. 9
9. Bot Governance & AI Attribution p. 10
10. Cross-Tool GEO Growth Pipeline p. 11
11. Troubleshooting Clinic & Pre-Flight p. 12
Golden Rule: Clarity, Proof, Parity All

How AI Search Engines Pick Sources (The 4-Stage RAG Pipeline)

Even if your guide ranks #1 organically on Google, a generative engine can omit you completely if its **Retrieval-Augmented Generation (RAG)** pipeline cannot parse your HTML, verify your numbers off-site, or extract a self-contained answer chunk. Every major answer engine runs these four steps on each prompt:



Why Smaller Sites Win in GEO: The Princeton & Georgia Tech KDD Findings

Benchmark testing across 10,000 queries by researchers from Princeton, Georgia Tech, AllenAI, and IIT Delhi showed that adding verifiable statistics, primary source citations, and expert quotes increased generative engine visibility by up to **40% overall**—and gave lower-ranked (#5) sites up to a **115% visibility boost** against incumbents.

AI Search Engines, Crawler Roles & Citation Matrix

Not every AI bot does the same job. Blocking model training crawlers protects your archive without hurting live citations—unless you accidentally block real-time search bots or ship client-side JavaScript that crawlers cannot execute.

1 Training Bots vs. Live Search Bots

- **Training Crawlers:** `GPTBot` (OpenAI), `ClaudeBot` (Anthropic), `Google-Extended` (Gemini training), and `CCBot` gather corpus data for future weights.
- **Live Search & Citation Bots:** `OAI-SearchBot`, `Claude-SearchBot`, `PerplexityBot`, and `Googlebot` fetch current pages to answer live user prompts with clickable citations.
- **The Golden Rule:** Blocking `GPTBot` or `Google-Extended` does not penalize live search visibility—blocking `OAI-SearchBot` or `Googlebot` erases your citations.

2 User-Triggered Fetchers & WAF Traps

- **On-Demand Fetchers:** `ChatGPT-User`, `Claude-User`, and `Perplexity-User` fire dynamically when a person pastes your URL into an active chat prompt.
- **The CDN Override Trap:** One-click "Block AI Scrapers" toggles in Cloudflare or edge WAFs often block `OAI-SearchBot` and `PerplexityBot` with 403 errors even when `robots.txt` says `Allow: /`.
- **JavaScript Blind Spot:** Most AI crawlers parse initial raw HTML only; content rendered solely via client-side React or Vue hydration stays invisible.

2026 Generative Engine Citation & Crawler Decision Matrix


AI Engine	Search vs. Training Bots	Primary Retrieval & Grounding	HTML / JS Execution	Top Citation & Tracking Signals
ChatGPT Search *OpenAI*	Search: `OAI-SearchBot` Train: `GPTBot` User: `ChatGPT-User`	Real-time web retrieval anchored by Bing & OpenAI search index + authoritative directories.	Reads **raw HTML only** (fetches static payload; does not run client JS).	Answer-first structure, clear facts; tags clicks via `utm_source=chatgpt.com`.
Perplexity *Answer Engine*	Search: `PerplexityBot` User: `Perplexity-User`	Real-time multi-source search index emphasizing primary stats, freshness & community consensus.	Reads **raw text/HTML** rapidly for sub-second RAG chunking.	Prominent numbered inline footnotes, hard metrics; tracks cleanly via `perplexity.ai`.
Google AI Overviews *& AI Mode*	Search: `Googlebot` Gemini Train: `Google-Extended`	Core Google ranking index, E-E-A-T authority, Knowledge Graph, Reddit & YouTube consensus.	Evergreen Chromium renderer (queues JS, but SSR indexes much faster).	Organic top-10 foundation + schema entity clarity; shares Search Console surfaces.
Claude Web Search *Anthropic*	Search: `Claude-SearchBot` Train: `ClaudeBot` User: `Claude-User`	Semantic web retrieval favoring deep, structured guides, technical docs & primary research.	Ingests **static HTML responses**; ignores dynamically injected DOM nodes.	Coherent topic depth, `/llms.txt` clarity, named sources; refers as `claude.ai`.
Google Gemini *Assistant & App*	Grounding: `Googlebot` Train/Opt: `Google-Extended`	Google Search grounding + Google Workspace/Maps/Shopping & Wikidata entity graphs.	Chromium index via Googlebot; structured JSON-LD disambiguates entities.	Consistent `Organization` & `Product` schema + `gemini.google.com` referrals.

Recommended Day-One Policy: Open Search Bots, Verify SSR, Baseline 25 Prompts

Keep `OAI-SearchBot`, `PerplexityBot`, `Claude-SearchBot`, and `Googlebot` explicitly allowed in both `robots.txt` and your CDN firewall, confirm via `curl` that your pages render full prose without JavaScript, and record a baseline citation score across 25 unbranded buyer prompts.

Annotated Tour: Inside a GEO Citation & SOV Audit Studio

Whether you use a dedicated visibility tracker or your own audit pipeline, every high-performing GEO workspace connects seven core telemetry panels—linking multi-engine Share of Voice directly to crawlability, Answer-First prose scores, and entity corroboration.



1 **AI Share of Voice (SOV):** Measures your brand's percentage of total citations and mentions across a fixed buyer prompt set compared against direct category rivals.

2 **Linked Citation vs. Unlinked Mention:** Separates clickable footnote URLs (referral drivers) from plain-text brand recommendations inside synthesized replies.

3 **Sentiment & Factual Accuracy:** Flags positive/negative framing and verifies that prices, integrations, and specs quoted by LLMs match reality.

4 **Off-Site Entity Corroboration:** Tracks profile alignment across Wikidata, GitHub, Reddit, and G2 so engines confirm you are an established authority.


5 **Answer-First Capsule Linter:** Checks whether each H2 opens with a direct 40–60 word summary backed by concrete metrics and attributed sources.

6 **SSR Parity & Bot Crawl Logs:** Verifies `200 OK` responses for live search bots and confirms full content plus JSON-LD appear in raw server HTML.

7 **AI Referral & Dark-Funnel Attribution:** Combines GA4 regex channel tracking (`chatgpt.com`, `perplexity.ai`, `claude.ai`, `gemini.google.com`) with CRM self-reported attribution to quantify closed-won revenue from zero-click discovery.

Answer-First Content Architecture & Citation Signals

Human writers love slow, suspenseful introductions. RAG retrievers hate them. When an answer engine splits your page into chunks and scores each passage against a buyer's sub-query, burying the core answer below 300 words of story causes your entire page to lose the citation.



Distilling Prose Into Extractable Proof: Answer-First formatting focuses raw research through structured lenses—a 40–60 word direct lead, dated metrics, and named expert citations—onto a crisp passage ready for RAG retrieval.

Four Evidence-Backed Levers That Lift AI Citations

1 40–60 Word Lead Capsules

Write H2 and H3 headings as real buyer questions, then answer the question completely in the **very first paragraph** before expanding into nuance, caveats, or examples.

2 Statistics Addition (+30% to +37% Lift)

Replace vague phrases like *"much faster"* with concrete numbers, percentages, sample sizes, and dates. LLMs preferentially cite passages that carry verifiable empirical weight.

3 Expert Quotes & Citations (+30% to +41%)

Include direct attributed quotations from named practitioners, engineers, or standards bodies plus links to primary data—boosting RAG trust scores across every tested engine.

4 Zero Keyword Stuffing & Clean Fluency

In the Princeton KDD benchmarks, unnatural keyword stuffing and repetitive padding yielded flat or negative visibility. Crisp, confident editorial prose outperforms legacy SEO filler.

```
BEFORE (Buried Narrative – Ignored by RAG Extractors):
"In today's fast-changing cloud landscape, organizations face unprecedented log costs. Many teams struggle for
months before realizing that ingestion pipelines matter. In this post, we explore why smart engineering leaders
rethink observability..."

AFTER (Answer-First GEO Capsule – Built for Instant Extraction):
"<h2>How much does log retention cost in SOC2 observability platforms?</h2>
<p>Most mid-market engineering teams spend $1.20 to $2.40 per ingested gigabyte for 365-day SOC2 hot-and-cold log
retention in 2026. By filtering verbose debug telemetry at the collector edge, Acme Cloud reduces annual SIEM bills
by 38% (median across 140 audited clusters, Q3 2026 Telemetry Benchmark).</p>"
```

The 5-Part Citation Capsule Formula & Chunking Rules

Vector databases and search rerankers split pages into 200–500 token chunks anchored by headings. When a passage enters the LLM context window alone without surrounding paragraphs, it must stand completely on its own.

Color-Coded Anatomy of a Citation-Ready Passage

[1. Question H2 & Direct Answer] How fast can edge caching reduce Time to First Byte for AI search bots? [2. Explicit Entity & Scope] For SaaS marketing sites running Next.js App Router on Cloudflare, server-rendered HTML pages cached at edge PoPs [3. Verifiable Metric & Year] cut median bot TTFB from 620 ms to 48 ms (a 92% speedup across 18,000 OAI-SearchBot requests in Oct 2026). [4. Primary Source & Quote] "Keeping full prose in the initial HTML shell doubled our Perplexity citation rate within 30 days," notes Elena Torres, Principal Infra Architect at Northstar Labs. [5. HTML Table / List Parity] Follow immediately with a 3-row SSR vs. CSR latency comparison table.

Capsule Component	Why AI Retrievers Reward It	Failure Mode When Omitted
Question H2 + Lead	Aligns your heading cleanly with conversational fan-out sub-queries and puts the answer in chunk sentence 1.	Retriever pulls a competitor whose H2 answers the prompt directly above the fold.
Explicit Entity & Scope	Repeats the exact brand, product, and constraints instead of relying on ambiguous pronouns like "it" or "this tool."	Isolated chunk loses its subject name after splitting, causing the LLM to omit attribution.
Metric & Timeframe	Supplies concrete numbers, sample size, and year so the model grounds comparative claims reliably.	Generalized marketing fluff gets discarded during factual re-ranking.
Source & Expert Quote	Raises E-E-A-T and factual provenance via attributed practitioners or external benchmarks.	Model treats claim as unverified vendor spin and hedges or omits the citation.
HTML Table / List	Converts multi-attribute comparisons into clean cells that Perplexity and ChatGPT parse effortlessly.	Wall-of-text paragraphs obscure pricing, limits, and spec trade-offs.

```
<article>
  <section aria-labelledby="q-ssr-cost">
    <h2 id="q-ssr-cost">Why do AI crawlers miss client-side React pricing tables?</h2>
    <p>OpenAI's OAI-SearchBot, Anthropic's Claude-SearchBot, and PerplexityBot read raw HTTP HTML without executing
client-side JavaScript. In 2026 log audits, SaaS pricing pages rendered only after browser hydration showed empty
containers to non-JS bots, dropping AI citation rates to near zero until converted to Server-Side Rendering (SSR).
</p>
    <table><thead><tr><th>Render Mode</th><th>Bot Visibility</th></tr></thead>...</table>
  </section>
</article>
```

Chunking Rule: Ban Orphan Pronouns at the Start of Paragraphs

Never begin an H2's opening sentence with *"It works by..."* or *"This platform helps..."* Always name your product and category explicitly inside every major section so any extracted 300-token chunk carries complete entity context.

Entity Graphs & Multi-Source Off-Site Corroboration

Generative engines avoid trusting isolated vendor claims on your own website. Before recommending your product on high-intent buyer queries, LLMs resolve “things, not strings”—cross-checking external knowledge graphs, code repositories, and real user discussions.

3-Step Entity Disambiguation Playbook

1 Establish an Entity Home

Create one canonical `/about` or company home URL with stable `@id` Schema.org URI, clear one-sentence positioning, founding year, HQ, and leadership bios.

2 Bind Via `sameAs` Links

Connect your `Organization` JSON-LD directly to authoritative external IDs—Wikidata, Wikipedia, LinkedIn, GitHub, Crunchbase, and G2—using exact matching URLs.

3 Earn Third-Party Proof

Publish reproducible benchmarks, open-source SDKs, and helpful technical answers across the forums and directories AI models weight heavily for consensus.

Off-Site Corroboration Nodes & How AI Engines Weight Them

External Ecosystem Node	Role in LLM & RAG Grounding	Common Drift Error & Quick Fix
Wikidata & Wikipedia *Semantic Graph Spine*	Serves as the open machine-readable backbone for entity types, founding dates, parent companies, and disambiguation.	Outdated descriptions or missing `official website` property; verify Wikidata Q-item facts and link via `sameAs`.
Reddit & Technical Forums *Peer Sentiment*	Heavily mined by Google AI Overviews, Perplexity, and ChatGPT to gauge real-world pros, cons, and peer recommendations.	Spammy astroturfing triggers distrust; share transparent engineering postmortems and let authentic practitioners weigh in.
GitHub & Developer Docs *Technical Legitimacy*	Validates active engineering velocity, SDK compatibility, open schemas, and community adoption for SaaS and dev-tools.	Empty org READMEs or dead repo links; pin flagship SDKs, add clear `README.md` overviews, and link back to main docs.
G2, Trustpilot & Crunchbase *Commercial Directories*	Corroborates buyer category, pricing tier expectations, integrations, and customer review volume in comparison prompts.	Conflicting category tags or stale 2023 pricing tiers; audit quarterly so directory facts match your live pricing page.
YouTube & Industry Press *Multimodal & PR*	Transcripts from product walkthroughs and quoted trade press citations feed Google AIO and ChatGPT grounding layers.	Vague video titles without chapters or transcripts; publish structured timestamps and full verbatim captions.

Why Fact Drift Across Directories Quietly Kills Brand Recommendations

When your website claims you are an “Enterprise API Gateway” at $299/month, while G2 lists “Legacy Webhook Tool” at $49/month and Wikidata still names an old domain, RAG re-rankers lower entity confidence. To avoid hallucinating wrong specs, the model simply picks a cleaner, better-aligned competitor instead.

Publish Original Data Assets Other Sites Must Cite

Annual benchmark reports, public pricing calculators, and open datasets generate organic backlinks and third-party coverage in newsletters and Reddit threads—building both off-site corroboration and primary statistical authority simultaneously.

JSON-LD Schema & Server-Side HTML Readability

Many teams deploy gorgeous React or Vue apps that look crisp in Chrome yet return empty `<div id="root"></div>` shells to AI crawlers. Delivering Server-Side Rendered (SSR) HTML embedded with explicit JSON-LD guarantees machine comprehension on the first byte.



Machine-Readable Entity Graphs in Pure HTML: Embedding connected `@graph` JSON-LD directly in Server-Side Rendered HTML lets `OAI-SearchBot`, `Claude-SearchBot`, and `PerplexityBot` map every entity node on the first pass without executing JavaScript.

1 Four Core GEO Schema Types

- `Organization`: Global entity anchor with `@id`, logo, and external `sameAs` URIs.
- `Product` + `Offer`: Exact pricing, currency, stock, and `priceValidUntil` for buyer prompts.
- `FAQPage`: Question-and-answer pairs mirroring visible on-page copy verbatim.
- `Article`: Explicit `author` entity, `publisher`, and fresh ISO `dateModified`.

2 Pre-Deploy Raw HTML Parity Check

Never trust Chrome DevTools alone. Fetch the page as a search bot via `curl` to confirm prose, tables, and JSON-LD arrive before any script runs:

```
curl -sA "OAI-SearchBot/1.0"
https://acmecloud.io/pricing | grep -E
"ld\+json|199\.00"
```

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://acmecloud.io/#org",
      "name": "Acme Cloud",
      "url": "https://acmecloud.io/",
      "sameAs": ["https://www.wikidata.org/wiki/Q128490", "https://github.com/acmecloud",
"https://www.g2.com/products/acme-cloud"]
    },
    {
      "@type": "FAQPage",
      "mainEntity": [{
        "@type": "Question",
        "name": "Does Acme Cloud support Zero-JS SSR crawl readiness?",
        "acceptedAnswer": { "@type": "Answer", "text": "Yes. Every public documentation and pricing route renders
complete HTML and embedded JSON-LD on the server in under 50 ms." }
      }]
    }
  ]
}
</script>
```

5 Real-World Copy-Paste GEO Recipes

Drop these five proven templates straight into your CMS layouts, Schema.org builders, Google Analytics 4 configuration, and weekly prompt-benchmark workflows without vague placeholders.

Recipe & Goal	Ready-to-Use Template or Specification	Impact & Verification
1. Answer-First H2 Block *Product & Docs Pages*	Lead with a question H2 and 45-word answer: `Teams deploy Acme Cloud to reach payback in 4.2 months (n=140, 2026 Audit), cutting SIEM storage spend by 38%.`	Directly wins "how fast" and ROI citations in Perplexity & ChatGPT.
2. Commercial Product Schema *Pricing & Plans*	Embed `Product` JSON-LD linking `brand.@id` plus explicit `Offer` currency, decimal price, `priceValidUntil`, and `InStock` availability inside SSR HTML.	Prevents outdated or hallucinated pricing inside buyer comparisons.
3. GA4 AI Channel Regex *Analytics Attribution*	Create a Custom Channel Group named `AI Search` placed **above** Referral matching `chatgpt\.com|perplexity\.ai|claude\.ai|gemini\.google\.com` (see snippet below).	Stops Perplexity & Claude referrals from hiding inside generic Referral.
4. 25-Prompt SOV Audit *Monthly Benchmark*	Run 25 unbranded commercial queries (5 how-to, 10 best-of, 10 vs. rivals) in logged-out sessions across 4 engines; score mention %, link rank & accuracy.	Tracks real Share of Voice deltas instead of guessing from keyword rank.
5. Freshness & `llms.txt` *Docs Maintenance*	Update visible "Last verified" timestamps alongside `Article` schema `dateModified` whenever specs change, and index flagship docs in root `/llms.txt`.	Signals live freshness to RAG rerankers and agent-ready crawlers.

```
<!-- Recipe #2 (Product JSON-LD in SSR <head>) + Recipe #3 (GA4 Custom Channel Regex) -->
<script type="application/ld+json">{
  "@context": "https://schema.org/", "@type": "Product", "name": "Acme Cloud Observability Suite",
  "brand": { "@type": "Organization", "@id": "https://acmecloud.io/#org", "name": "Acme Cloud" },
  "offers": { "@type": "Offer", "url": "https://acmecloud.io/pricing", "priceCurrency": "USD", "price": "199.00",
"priceValidUntil": "2026-12-31", "availability": "https://schema.org/InStock" }
}</script>
GA4 Source Regex: ^(.*\.)?
(chatgpt\.com|chat\.openai\.com|perplexity\.ai|claude\.ai|gemini\.google\.com|copilot\.microsoft\.com|grok\.com)$
```

Schema Integrity: Match Visible Text Word-for-Word

Never stuff hidden Q&As or inflated prices solely into JSON-LD. Every answer in `FAQPage` and every figure in `Product` must appear visibly on the rendered page for both humans and bots.

Avoid Personalization Bias When Testing Prompts

Logged-in AI accounts remember past chats and favor brands you recently discussed. Always benchmark your 25-prompt SOV rubric inside clean incognito profiles or stateless API/search runs.

Bot Crawl Governance & AI Search Attribution KPIs

Precision governance lets you welcome real-time search and citation crawlers while enforcing deliberate boundaries on model training—paired with analytics built for a zero-click, multi-engine buyer journey.

```
# Production robots.txt: Opt out of foundation training while welcoming live AI search citations
User-agent: GPTBot
Disallow: /
User-agent: ClaudeBot
Disallow: /
User-agent: Google-Extended
Disallow: /

User-agent: OAI-SearchBot
Allow: /
User-agent: Claude-SearchBot
Allow: /
User-agent: PerplexityBot
Allow: /
User-agent: Googlebot
Allow: /
Sitemap: https://acmecloud.io/sitemap.xml
```

1 Edge Firewall & CDN Log Governance

Audit Cloudflare AI Crawl Control and WAF rules monthly. Confirm verified user-agents (`OAI-SearchBot`, `PerplexityBot`, `Claude-SearchBot`) receive `200 OK` responses rather than silent `403` blocks or JS challenge interstitials.

2 Solving the Zero-Click Dark Funnel

Mobile AI apps often strip HTTP referrers, routing clicks into GA4 `(direct) / (none)`, while zero-click answers never click at all. Pair `utm_source=chatgpt.com` and custom regex tracking with a mandatory CRM “How did you hear about us?” field.

Core 2026 GEO Measurement Scorecard


GEO Metric	Formula & Data Source	Target Cadence	Blind Spot to Guard Against
AI Share of Voice (SOV)	`(Brand Mentions / Total Category Mentions) * 100` across standardized buyer prompt suites.	Monthly / Quarterly	Testing only branded queries instead of unbranded category discovery prompts.
Citation Link Rate	% of tested prompts returning a clickable footnote URL to your owned domain across 4 engines.	Bi-Weekly	Assuming ChatGPT and Perplexity share identical retrieval indices.
Sentiment & Accuracy	Manual or LLM-graded check of positive framing plus exact pricing, tier, and integration accuracy.	Monthly	Outdated third-party directories poisoning model answers with old pricing.
Attributed AI Pipeline	GA4 Custom AI Channel (`utm_source=chatgpt.com`, `perplexity.ai`, `claude.ai`) + CRM self-attribution.	Weekly	Judging GEO solely on last-click volume while ignoring higher AI conversion rates.

Critical Warning: Never Confuse Google-Extended With Googlebot

Blocking `Google-Extended` opts your content out of Gemini training and model grounding while keeping standard Search intact. Blocking `Googlebot` wipes your site from both organic Google Search and Google AI Overviews at once.

Cross-Tool Synergy: From Prompt Gaps to Verified Pipeline

Sustainable AI Search Visibility operates as a closed feedback loop connecting buyer question intelligence, SSR-rendered Answer-First pages, off-site entity corroboration, CDN crawler telemetry, and CRM pipeline attribution.



Operating Cadence: Turning GEO Into a Repeatable Team Habit

1 Weekly Bot & SSR Health Check

Inspect CDN access logs for `OAI-SearchBot`, `PerplexityBot`, and `Claude-SearchBot` status codes and verify new product or pricing deploys render cleanly via `curl`.

2 Bi-Weekly Capsule & Table Refreshes

Upgrade your highest-intent docs and comparison pages with 50-word Answer-First openings, current-year benchmark stats, and fresh `dateModified` schema.

3 Monthly 4-Engine SOV Review

Re-run your 25-prompt benchmark across ChatGPT Search, Perplexity, Claude, and Google AI Overviews to catch dropped links or pricing hallucinations early.

4 Quarterly Entity & Directory Sync

Align product names, pricing tiers, and category labels across Wikidata, GitHub, G2, Crunchbase, and your `Organization` JSON-LD `sameAs` array.

GEO Meets Agent-Ready Web: Serve Both Search Engines and Browser Agents

Clean semantic HTML, SSR rendering, and root `/llms.txt` summaries work double duty—maximizing inline citations inside generative search engines today while making your docs and pricing instantly legible to autonomous coding and research agents.

Troubleshooting Clinic & GEO Pre-Flight Checklist

Use this diagnostic matrix whenever strong Google-ranking pages vanish from ChatGPT or Perplexity, analytics miss obvious AI mentions, or crawlers misquote product tiers—then verify every launch against the 6-point checklist below.

Symptom / Issue	Root Cause	10-Second Fix
1. Page ranks #1 on Google, zero citations in ChatGPT or Perplexity	Client-side React/Vue JS shell hides pricing or core prose from non-executing AI crawlers.	Enable SSR or SSG for public pages and verify via `curl -sA "OAI-SearchBot/1.0"` that full copy appears in raw HTML.
2. Search bots get blocked even though robots.txt says Allow	CDN or WAF "Block AI Scrapers" toggle overrides `robots.txt` at the network edge.	Open Cloudflare / WAF bot rules and explicitly allow verified `OAI-SearchBot`, `PerplexityBot`, and `Claude-SearchBot`.
3. Engines cite a short rival blog instead of our comprehensive guide	Core answer sits buried below 400 words of intro fluff with zero metrics or tables.	Add a 40–60 word Answer-First capsule right under the H2 containing a dated metric, comparison table, and source citation.
4. AI assistant quotes outdated 2024 pricing or wrong product tier	Directory fact drift across G2, Crunchbase, or Wikidata plus missing `Product` schema.	Update stale directory profiles, sync `Organization` `sameAs` links, and embed fresh `Offer` JSON-LD in server HTML.
5. GA4 shows flat AI traffic despite high Share of Voice mentions	Default channel rules miss `perplexity.ai` / `claude.ai`, and mobile apps strip referrers.	Create a Custom AI Channel Regex placed above Referral and add "How did you hear about us?" on demo forms.
6. Blocking training crawlers hurt Google AI Overviews visibility	Site blocked `Googlebot` alongside or instead of `Google-Extended`.	Restore `Allow: /` for `Googlebot` immediately; restrict `Google-Extended` only if opting out of Gemini training.
7. JSON-LD FAQPage or Product schema fails audit checks	Schema was injected asynchronously via JS or contradicts visible page text.	Render JSON-LD server-side inside initial HTML and ensure every schema question and price matches visible UI text identically.

6-Point Flagship Page GEO Pre-Flight Checklist

- ☑ **1. Question H2 + 50-Word Capsule:** Does every major section answer its heading directly in sentence one without orphan pronouns?
- ☑ **2. Verifiable Stats & Attribution:** Are claims backed by dated metrics, primary sources, named expert quotes, and comparison tables?
- ☑ **3. Raw-HTML SSR Parity:** Does `curl` return 100% of body prose, tables, and JSON-LD in the initial server response without JS?
- ☑ **4. Unified JSON-LD Graph:** Are `Organization` (`@id` + `sameAs`), `Product`, and `FAQPage` validated and matched to visible text?
- ☑ **5. Clean Search Bot Access:** Do `robots.txt` and edge WAF rules return `200 OK` to live search bots across all 4 engines?
- ☑ **6. Off-Site & GA4 Tracking Active:** Are Wikidata/GitHub/G2 profiles aligned and GA4 AI Regex + CRM attribution capturing conversions?

Final Takeaway: Clarity Backed by Proof Always Wins Retrieval

You never have to game an LLM with robotic tricks. When you answer real buyer questions immediately, prove claims with hard numbers and independent corroboration, and serve pure HTML without JavaScript barriers, generative search engines become your highest-intent distribution channel.